

Page 1/7

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.01.2012 Version number 3 Revision: 12.01.2012

#### 1 Identification of the substance/mixture and of the company/undertaking

· Product identifier

· Trade name: HP Super

· Article number: 0781 319 805...

- · Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the preparation Engine oil
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

ANDREAS STIHL AG & Co.KG

Badstr. 115

D-71336 Waiblingen Tel: +49(0)7151-26-3237 Fax: +49(0)7151-26-8-3237

· Informing department:

Produktmanagement Forsttechnik

Tel: +49(0)7151-26-3237 Fax: +49(0)7151-26-83237

· Emergency telephone number:

Tel: +49-621-60-43333 Fax: +49-621-60-92664

#### 2 Hazards identification

- · Classification of the substance or mixture
- · Classification according to Directive 67/548/EEC or Directive 1999/45/EC Void
- Information concerning particular hazards for human and environment:

The product does not have to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

· Classification system:

The classification is in line with current EC lists. It is expanded, however, by information from technical literature and by information furnished by supplier companies.

- · Label elements
- · Labelling according to EU guidelines:

The product is not subject to identification regulations under EC Directives and the Ordinance on Hazardous Materials.

· Special labelling of certain preparations:

Safety data sheet available for professional user on request.

Classification system

The classification is in line with current EC lists. It is expanded, however, by information from technical literature and by information furnished by supplier companies.

- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

GI

Printing date 12.01.2012 Version number 3 Revision: 12.01.2012

Trade name: HP Super

(Contd. of page 1)

### 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Highly refined mineral oil (IP 346 DMSO < 3%) and additives.

· Dangerous components:		
Polymer	Phenol, (dimethylamino)-methyl poly isobutylene derivs. R52/53 Aquatic Chronic 3, H412	10-25%
EC number: 918-481-9 Reg.nr.: 01-2119457273-39	Kohlenwasserstoffe, C10-C13, n-Alkane, Isoalkane, zyklische, < 2% Aromaten  Xn R65  R66  ♣ Asp. Tox. 1, H304	10-25%
Polymer	Phenol, poly isobutylene derivs.	5-10%

· Additional information For the wording of the listed risk phrases refer to section 16.

### 4 First aid measures

- · Description of first aid measures
- · General information Instantly remove any clothing soiled by the product.
- · After inhalation Supply fresh air; consult doctor in case of symptoms.
- · After skin contact

Generally the product does not irritate the skin.

Immediately rinse with water.

If skin irritation continues, consult a doctor.

· After eye contact

Keep eye lids open and rinse them amply with clean running water for at least 15 minutes. In case of persistent symptoms consult doctor.

After swallowing

Do not induce vomiting in order to prevent an invasion into the lungs.

In case of persistent symptoms consult doctor.

- · Information for doctor
- · Most important symptoms and effects, both acute and delayed

No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### 5 Firefighting measures

- · Extinguishing media
- · Suitable extinguishing agents

Extinguishing powder, foam or water jet. Fight larger fires with water jet or alcohol-resistant foam.

- · For safety reasons unsuitable extinguishing agents Water with a full water jet.
- · Special hazards arising from the substance or mixture

Can be released in case of fire

Carbon monoxide (CO)

- · Advice for firefighters
- · Protective equipment:

Wear full protective suit.

(Contd. on page 3)

Printing date 12.01.2012 Version number 3 Revision: 12.01.2012

Trade name: HP Super

Wear self-contained breathing apparatus.

(Contd. of page 2)

#### 6 Accidental release measures

#### · Personal precautions, protective equipment and emergency procedures

Keep away from ignition sources

Ensure adequate ventilation

Wear protective equipment. Keep unprotected persons away.

Particular danger of slipping on leaked/spilled product.

#### · Environmental precautions:

Inform respective authorities in case product reaches water or sewage system.

Do not allow to enter drainage system, surface or ground water.

#### · Methods and material for containment and cleaning up:

Remove from the surface of water (e.g. skim or vacuum off)

Should larger amounts of liquid run out stem it and dispose it of.

Absorb with liquid-binding material (sand, diatomite, universal binders) and disposal in suitable containers.

#### · Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

### 7 Handling and storage

- · Handling
- · Precautions for safe handling

Avoid contact with eyes and skin.

Ensure good ventilation/exhaustion at the workplace.

Store in cool, dry place in tightly closed containers.

Keep away from heat and direct sunlight.

#### Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Fumes can combine with air to form an explosive mixture.

- · Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and containers:

Store only in unopened original receptacles.

Prevent any penetration into the ground.

- · Information about storage in one common storage facility: Store away from oxidizing agents.
- · Further information about storage conditions: Must be stored in a collecting room.
- · Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· Additional information: The lists that were valid during the compilation were used as basis.

(Contd. on page 4)

Printing date 12.01.2012 Version number 3 Revision: 12.01.2012

Trade name: HP Super

(Contd. of page 3)

- · Exposure controls
- · Personal protective equipment
- · General protective and hygienic measures

Do not carry cleaning cloths impregnated with the product in trouser pockets.

Be sure to clean skin thoroughly after work and before breaks.

· Breathing equipment:

Not necessary if room is well-ventilated.

In case of insufficient removal by suction or longer inhalation a breathing protection is required.

· Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Nitrile rubber, NBR

- · Eye protection: Safety glasses recommended during refilling.
- · Body protection: Protective work clothing.

$\sim$	Dhireisal	1 1 -	L	properties
u i	Physical	ann r	nemicai	nrnnartias

Information on basis physical and a	homical proportion	
<ul> <li>Information on basic physical and concentration</li> </ul>	nemical properties	
· Appearance:		
Form:	Fluid	
Colour:	blue-green	
· Odour:	Weak, characteristic	
· pH-value:	Not determined.	
· Change in condition		
Boiling point/Boiling range:	Not determined	
· Flash point:	76°C (cc)	
· Self-inflammability:	Product is not selfigniting.	
· Danger of explosion:	Product is not explosive.	
· Density at 20°C	0.86 g/cm³ (DIN 51757)	
· Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix	
· Segregation coefficient (n-octanol/w	vater): Not determined.	
· Viscosity:		
kinematic at 100°C:	7.5 mm²/s	
· Solvent content:		
Organic solvents:	0.0 %	
	(0-	ntd on nogo E)

Printing date 12.01.2012 Version number 3 Revision: 12.01.2012

Trade name: HP Super

(Contd. of page 4)

· Other information

No further relevant information available.

### 10 Stability and reactivity

- · Reactivity
- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: Avoid contact with strong oxidizing agents.
- · Hazardous decomposition products:

None in case of intended use and storage in compliance with instructions.

### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin:

Longer or repeated contact with the product reduces the natural readipogenesis of the skin and results in the desiccation of the skin. That product can be absorbed via the skin.

More frequent and continuous contact with the skin may result in irritation of the skin.

- · on the eye: Splashes can cause temporary eye irritation.
- · Sensitization:

Sensitive persons can possibly have allergic reactions. This is also valid below the fixed levels of exposure.

· Additional toxicological information:

The product is not subject to classification according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version.

When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.

### 12 Ecological information

- Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability biodegradable
- · Behaviour in environmental systems:
- · Components:

A product that has flown out can lead to the formation of a film on the water surface which reduces the oxygen exchange and results in the organisms dying-off.

- · Bioaccumulative potential Not worth-mentioning accumulating in organisms
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water.

Do not allow product to reach ground water, water bodies or sewage system.

Danger to drinking water if even small quantities leak into soil.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

(Contd. on page 6)

Printing date 12.01.2012 Version number 3 Revision: 12.01.2012

Trade name: HP Super

(Contd. of page 5)

· Other adverse effects No further relevant information available.

## 13 Disposal considerations

- · Waste treatment methods
- · Recommendation

The product is suitable for processing by an approved recycling facility or can be disposed of at any government approved waste disposal facility.

The waste code numbers mentioned are recommendations based on the probable use of the product.

· European waste catalogue			
13 00 00	OIL WASTES AND WASTES OF LIQUID FUELS (except edible oils, and those in chapters 05, 12 and 19)		
13 02 00	waste engine, gear and lubricating oils		
13 02 05	mineral-based non-chlorinated engine, gear and lubricating oils		

- · Uncleaned packagings:
- · Recommendation: Dispose of packaging according to regulations on the disposal of packagings.

· UN-Number	
· ADR, ADN, IMDG, IATA	Void
· UN proper shipping name · ADR, ADN, IMDG, IATA	Void
· Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	Void
· Packing group · ADR, IMDG, IATA	Void
· Environmental hazards: · Marine pollutant:	No
· Special precautions for user	Not applicable.
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications

# 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · National regulations
- · Water hazard class: Water hazard class 2 (Self-assessment): hazardous for water.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

Printing date 12.01.2012 Version number 3 Revision: 12.01.2012

Trade name: HP Super

(Contd. of page 6)

#### 16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

R36/38 Irritating to eyes and skin.

R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R65 Harmful: may cause lung damage if swallowed.

R66 Repeated exposure may cause skin dryness or cracking.

#### · Department issuing data specification sheet:

The safety data sheets were drawn up in cooperation with the Umweltkanzlei Dr.Rhein Beratungsund Prüfgesellschaft mbH, Phone: +49 5066 900990.

\* Data compared to the previous version altered.

GB