



HUSQVARNA 530iP4

Battery pole saw for professionals with long 4m reach and performance that surpasses petrol equivalents. Maximum performance and durability with low weight, excellent ergonomics and quiet operation for use in any location at any time of day.



Efficient brushless motor: pole products

Our in-house developed, advanced brushless motor is 25 % more efficient than a standard brush motor. This means that the motor provides a high and consistent torque.



Intuitive key pad

The key pad is very easy to operate.

save™

Choose between normal or save™ mode, depending on conditions, for maximum power or maximum runtime. Either way, you'll always get a perfect result.

Flip-up tank cap

The flip-up tank cap is easy to open.



FEATURES

- Choose savE™ mode for maximum runtime
 - The key pad is very easy to operate.
 - In-house developed brushless motor provides a high and consistent torque.
- The flip-up tank cap is easy to open.
 - Ergonomic handle with easy access to the controls.
 - High chain speed

Technical specifications	
DIMENSIONS	
Product size height	19 cm
Product size length	219 cm
Product size width	18 cm
Weight (excl. battery and cutting equipment)	3.4 kg
SOUND AND NOISE	
Sound power level, guaranteed (LWA)	98 dB(A)
Sound pressure level at operators ear	88 dB(A)

ACCESSORIES



HUSQVARNA BATTERY BLI100
2.6AH
967 09 18-01



HUSQVARNA BATTERY BLI200
5.2AH
967 09 19-01



HUSQVARNA BLI300 BATTERY
9.4AH
967 07 19-01



HUSQVARNA BATTERY BLI10 2.0
AH
967 09 16-01



HUSQVARNA BATTERY BLI20
4.0AH
967 09 17-01



HUSQVARNA BATTERY CHARGER
QC330 330W
967 09 14-02



HUSQVARNA CHARGER QC500
967 09 15-02



HUSQVARNA BATTERY CHARGER
QC80
967 33 56-51



HUSQVARNA BATTERY CHARGER
QC80F
967 62 83-01



HUSQVARNA INVERTER VI600F
967 62 85-02




HUSQVARNA BATTERY BAG
585 37 18-01




LAMINATED BAR 1/4" 1.3MM
575 84 22-64



SAW CHAIN H37 CHAMFER
CHISEL 3/8" MINI 1.3
576 93 65-40



FILE KIT
579 65 36-01



FILE KIT
580 68 75-01



INTENSIVE CUT FILES
510 09 57-01



INTENSIVE CUT FILES
510 09 57-02



OLOO23 - MINERAL CHAIN OIL -
1.0 LITRE
577 61 64-23



OLOO24 - MINERAL CHAIN OIL - 5
LITRE
577 61 64-24