according to Regulation (EC) No. 1907/2006 (REACH)

according to Regulation (EU) No 453/2010

Article no.: 1550BBLK OREGON MX 14

 Date of print:
 30.04.2014
 Revision date: 09.04.2013
 34107 EN

 version:
 2.0
 Date of issue: 09.04.2013
 page:1 / 8

1. SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifiers:

Article no. (manufacturer / supplier): 1550BBLK
Identification of the substance or preparation: OREGON MX 14

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Cleaner

1.3. Details of the supplier of the safety data sheet

Manufacturer / Supplier:

Blount Europe SA Rue Emile Francqui, 5 B-1435 Mont-Saint-Guibert BELGIUM

Phone: +32 (0) 10 30 11 11 Fax: +32 (0) 10 30 11 99

Emergency telephone:

Phone: +44 (0) 870 600 6266 (UK Poisons Emergency number)

Phone: +49 (0) 7161 / 802-400 (German)

2. SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Directive 67/548/EEC or 1999/45/EC

The preparation is dangerous in the sense of Directive 1999/45/EC.

Xi; R38-41 Irritant Irritating to skin. Risk of serious damage to eyes.

2.2. Label elements

Labelling (67/548/EEC or 1999/45/EC)

×

Xi Irritant

Hazard Statements:

38 Irritating to skin.

41 Risk of serious damage to eyes.

Safety precautions:

2 Keep out of the reach of children.

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

28 After contact with skin, wash immediately with plenty of water and soap.

39 Wear eye/face protection.

46 If swallowed, seek medical advice immediately and show this container or label.

contains:

sodium hydroxide

Special provisions concerning the labelling of certain mixtures

n.a.

2.3. Other hazards

Results of PBT and vPvB assessment: Not applicable.

3. SECTION 3: Composition/information on ingredients

3.2. Mixtures

chemical characterization (preparation) Description: Aqueous formulation.

Hazardous ingredients:

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) No 453/2010

Article no.: Date of print: version:

1550BBLK 30.04.2014 2.0

OREGON MX 14 Revision date: 09.04.2013 Date of issue: 09.04.2013

34107 EN page:2 / 8

EC No:	REACH No:	
CAS No.:	chemical name:	% by weight
INDEX no.:	classification:	Remark:
215-199-1	01-2119456888-17	10 - 20
1312-76-1	silicic acid, potassium salt	
	Skin Irrit. 2 H315 / Eye Irrit. 2 H319	
203-905-0	02-2119764899-11	2,5 - 5
111-76-2	2-butoxyethanol	
603-014-00-0	Acute Tox. 4 H332 / Acute Tox. 4 H312 / Acute Tox. 4 H302 / Eye Irrit. 2 H319 / Skin Irrit. 2 H315	
270-115-0	01-2119489428-22	2,5 - 5
68411-30-3	benzenesulfonic acid, C10-13-alkyl derivatives, sodium salts	
	Acute Tox. 4 H302 / Skin Irrit. 2 H315 / Eye Dam. 1 H318 / Aquatic	
	Chronic 3 H412	
229-912-9		1 - 2,5
6834-92-0	disodium metasilicate	
014-010-00-8	Skin Corr. 1B H314 / STOT SE 3 H335	
		1 - 2,5
97043-91-9	alcohols, C9-16, ethoxylated	
	Acute Tox. 4 H302 / Eye Dam. 1 H318	
204-812-8	01-2119971586-23	1 - 2,5
126-92-1	sodium etasulfate	
	Skin Irrit. 2 H315 / Eye Dam. 1 H318	
215-185-5	02-2119752469-26	0,3 - 1
1310-73-2	sodium hydroxide	
011-002-00-6	Met. Corr. 1 H290 / Skin Corr. 1A H314	

Classification according to Directive 67/548/EEC or 1999/45/EC

EC No:	REACH No:	
CAS No.:	Identification of the hazard:	% by weight
INDEX no.:	classification:	Remark:
215-199-1	01-2119456888-17	10 - 20
1312-76-1	silicic acid, potassium salt	
	Xi; R36/38	
203-905-0	02-2119764899-11	2,5 - 5
111-76-2	2-butoxyethanol	
603-014-00-0	Xn; R20/21/22 / Xi; R36/38	
270-115-0	01-2119489428-22	2,5 - 5
68411-30-3	benzenesulfonic acid, C10-13-alkyl derivatives, sodium salts	
	Xn; R22 / Xi; R38-41	
229-912-9		1 - 2,5
6834-92-0	disodium metasilicate	
014-010-00-8	C; R34 / Xi; R37	
		1 - 2,5
97043-91-9	alcohols, C9-16, ethoxylated	
	Xn; R22 / Xi; R41	
204-812-8	01-2119971586-23	1 - 2,5
126-92-1	sodium etasulfate	
	Xi; R38-41	
215-185-5	02-2119752469-26	0,3 - 1
1310-73-2	sodium hydroxide	
011-002-00-6	C; R35	

Additional information

Full text of R-phrases: see section 16. Full text of H-phrases: see section 16.

Labelling for contents according to regulation (EC) No 648/2004, annex 7:

according to Regulation (EC) No. 1907/2006 (REACH)

according to Regulation (EU) No 453/2010

1550BBLK Article no.:

OREGON MX 14

Date of print: 30.04.2014 Revision date: 09.04.2013 34107 EN Date of issue: 09.04.2013 page:3 / 8 version:

SECTION 4: First aid measures 4.

4.1. Description of first aid measures:

General information:

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in unconscious position and seek medical advice. Remove contaminated clothing immediatley and dispose off safely.

After inhalation

Move victim to fresh air. Put victim at rest and keep warm.

In case of skin contact:

After contact with skin, wash immediately with plenty of water and soap.

In case of eye contact:

If product gets into the eye, keep eyelid open and rinse immediately with large quantities of water, for at least 5 minutes. Subsequently consult an ophthalmologist.

After ingestion:

If swallowed, rinse mouth with water (only if the person is conscious). Consult physician immediately. Keep victim calm. Do not induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed:

In all cases of doubt, or when symptoms persist, seek medical advice.

Indication of any immediate medical attention and special treatment needed 4.3.

Treatment:

No information available.

SECTION 5: Firefighting measures 5.

5.1. Extinguishing media

Suitable extinguishing media:

alcohol resistant foam, Extinguishing powder, Carbon dioxide.

Extinguishing media which must not be used for safety reasons:

High power water jet.

5.2. Special exposure hazards arising from the substance or preparation itself, its combustion products or from resulting gases:

Dense black smoke occurs during fire. Hazardous decomposition products: carbon monoxide, Carbon dioxide. Inhaling hazardous decomposing products can cause serious health damage.

Special protective equipment for firefighters:

In case of fire: Wear self-contained breathing apparatus.

Additional information:

Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways. Treat runoff as hazardous.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

See protective measures under point 7 and 8.

6.2. **Environmental measures**

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

Methods and material for containment and cleaning up

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see chapter 13). Clean using cleansing agents. Do not use solvents.

6.4. Reference to other sections

Observe protective provisions (see chapter 7 and 8).

7. **SECTION 7: Handling and storage**

7.1. Precautions for safe handling

Advices on safe handling

version:

according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) No 453/2010

1550BBLK Article no.: Date of print:

OREGON MX 14 Revision date: 09.04.2013 30.04.2014 Date of issue: 09.04.2013

Follow the legal protection and safety regulations. Personal protective equipment: refer to chapter 8. Do no eat, drink or smoke when using this product. Open and handle container with care. Provide for good room ventilation. Avoid the formation of aerosol.

34107 EN

page:4 / 8

Precautions against fire and explosion:

No special measures are required.

Conditions for safe storage, including any incompatibilities 7.2.

Requirements for storerooms and containers:

Protect against: frost. Protect from heat and direct sunlight. Keep container tightly closed in a cool, well-ventilated place.

Specific end use(s)

Observe technical data sheet.

SECTION 8: Exposure controls/personal protection 8.

8.1. Control parameters

EC No: CAS No.:	Description:	type:	Limit value STEL (EC) TWA (EC)		
203-905-0	2-butoxyethanol		50	123	mg/m3
111-76-2		EN		25	ppm
215-185-5	sodium hydroxide		2		
1310-73-2		EN			

Additional information

TWA (EC): Occupational exposure limit value

STEL (EC): Short term occupational exposure limit value

Exposure controls

refer to chapter 7. No further action is necessary.

Occupational exposure controls:

Respiratory protection:

When splashes or fine mist form, a permitted breathing apparatus suitable for these purposes must be used.

For prolonged or repeated handling the following glove material must be used: NBR (Nitrile rubber). Breakthrough times and swelling properties of the material must be taken into consideration. Recommended glove articles: DIN EN 374. Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

Eye protection:

Tightly sealed safety glasses.

Body protection:

Protective clothing.

Protective measures:

After contact clean skin thoroughly with water and soap oder use appropriate cleanser. When using do not eat, drink, smoke, sniff.

Environmental exposure controls

Do not allow to enter into surface water or drains. refer to chapter 7. No further action is necessary.

9. **SECTION 9: Physical and chemical properties**

information on basic physical and chemical properties 9.1.

Appearance:

Physical state: liquid Colour light red Odour: typical

Safety relevant basis data	unit	Method	Remark:
Flash point:	n.a.		
lower explosion limit:	n.a.		
Upper explosion limit:	n.a.		
Vapour pressure (at temperature in °C):	n.b.		
density at 20 °C:	1,08 g/cm ³	DIN 51757	
Water solubility (g/l):	soluble		
pH (at temperature in °C): 20	11,30	DIN 51369 (10 g/	1)

according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) No 453/2010

Article no.: 1550BBLK OREGON MX 14

 Date of print:
 30.04.2014
 Revision date: 09.04.2013
 34107 EN

 version:
 2.0
 Date of issue: 09.04.2013
 page:5 / 8

Viscosity (at temperature in °C): 20 n.b.

boiling temperature / boiling range: 100 °C

Pourpoint: not to apply

VOC % by weight: 4,4

9.2. Other information:

No information available.

10. SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to chapter 7.

10.3. Materials to avoid

Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions.

10.4. Conditions to avoid

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to chapter 7. Hazardous decomposition byproducts may form with exposure to high temperatures.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

Hazardous decomposition byproducts may form with exposure to high temperatures, e.g.: carbon dioxide, carbon monoxide, smoke, nitrogen oxides.

11. SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

2-butoxyethanol

oral, LD50, Rat: 530 - 3000 mg/kg

2-butoxyethanol

dermal, LD50, Rabbit: 2270 mg/kg 0 - 2000 mg/kg

2-butoxyethanol

inhalative (vapours), LC50, Rat: 2,21 mg/l (4 h)

sodium hydroxide oral, LD50, Rat:

silicic acid, potassium salt

oral, LD50, Rat: > 2000 mg/kg

benzenesulfonic acid, C10-13-alkyl derivatives, sodium salts

oral, LD50, Rat: 300 - 2000 mg/kg

benzenesulfonic acid, C10-13-alkyl derivatives, sodium salts

dermal, LD50, Rat: > 2000 mg/kg

benzenesulfonic acid, C10-13-alkyl derivatives, sodium salts inhalative (dust and mist), LC50, Rat: > 2000 mg/l (4 h)

Irritant and corrosive effects

2-butoxyethanol

Skin, Rabbit

mild irritant.

2-butoxyethanol

Eyes, Rabbit

Irritating to eyes.

Sensitisation

Toxicological data are not available.

Specific target organ toxicity

Toxicological data are not available.

Aspiration hazard:

Toxicological data are not available.

according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) No 453/2010

1550BBLK **OREGON MX 14** Article no.: Date of print: 30.04.2014 Revision date: 09.04.2013

34107 EN Date of issue: 09.04.2013 version: page:6 / 8

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Toxicological data are not available.

Practical experience

Other observations:

Keeping to the general worker's protection rules and the industrial hygienics, there is no risk in handling this product through the personnel. Prolonged/repetitive skin contact may cause skin defattening or dermatitis.

Overall Assessment on CMR properties:

The components in this formulation do not meet the criteria for classification as CMR category 1 or 2.

There is no information available on the preparation itself . The preparation has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and classified according to the toxicological dangers. See chapters 2 and 15 for details.

12. SECTION 12: Ecological information

Overall evaluation:

There is no information available on the preparation itself.

Do not allow to enter into surface water or drains.

12.1. Toxicity

2-butoxyethanol

Fish toxicity, LC50, Lepomis macrochirus: 1490 mg/l (96 h)

2-butoxyethanol

Algae toxicity, ErC50, Scenedesmus quadricauda: 900 mg/l (168 h)

2-butoxyethanol

Acute Daphnia toxicity, EC50, Daphnia magna: 1720 mg/l (24 h)

2-butoxyethanol

Algae toxicity, EC 0:, Scenedesmus quadricauda: 900 mg/l (168 h)

2-butoxyethanol

Bacterial toxicity:, EC 0:, Pseudomonas putida: 700 mg/l (16 d)

sodium hydroxide

Fish toxicity, LC50, Gambusia affinis: 125 mg/l (96 h)

sodium hydroxide

Acute Daphnia toxicity, EC50:, Daphnia magna: 76 mg/l (24 h)

sodium hydroxide

Bacterial toxicity:, EC50:, Photobacterium phosphoreum: 22 (15 min)

sodium hydroxide

Acute fish toxicity, LC50:, Poecilia reticulata: 145 mg/l (24 h)

silicic acid, potassium salt

Fish toxicity, LC50, Lepomis macrochirus: 301 - 478 mg/l (96 h)

silicic acid, potassium salt

Daphnia toxicity, EC50, Daphnia magna: > 500 mg/l (48 h)

silicic acid, potassium salt

Bacterial toxicity:, Pseudomonas putida: > 10000 (18 h)

benzenesulfonic acid, C10-13-alkyl derivatives, sodium salts

Fish toxicity, LC50, Cyprinus carpio (Common Carp): 1 - 10 mg/l (96 h)

Method: OECD 203

benzenesulfonic acid, C10-13-alkyl derivatives, sodium salts

Daphnia toxicity, EC50, Daphnia magna: 1 - 10 mg/l (48 h)

Method: OECD 202

benzenesulfonic acid, C10-13-alkyl derivatives, sodium salts

Algae toxicity, ErC50, Desmodesmus subspicatus.: 10 - 100 mg/l (72 h)

Method: OECD 201

Long Term Ecotoxicity

Toxicological data are not available.

12.2. Persistence and degradability

2-butoxyethanol

Water, Biodegradation:: 100 % (28 d); Evaluation: Readily biodegradable (according to OECD criteria)

benzenesulfonic acid, C10-13-alkyl derivatives, sodium salts

, Biodegradation:: > 60 % (28 d)

according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) No 453/2010

Article no.:

1550BBLK 30.04.2014 **OREGON MX 14**

Date of print: 30.04.2014 Revision date: 09.04.2013 version: 2.0 Date of issue: 09.04.2013

34107 EN page:7 / 8

Method: Readily biodegradable (according to OECD criteria)

12.3. Bioaccumulative potential

2-butoxyethanol

Distribution coefficient (n-octanol / water) (log P O/W): 0,81

Bioconcentration factor (BCF):

Toxicological data are not available.

12.4. Mobility in soil

Toxicological data are not available.

12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

12.6. Other adverse effects

The preparation has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and is not classified as dangerous for the environment.

13. SECTION 13: Disposal considerations

13.1. Waste treatment methods

Appropriate disposal / Product

Recommendation:

Do not allow to enter into surface water or drains. This material and its container must be disposed of in a safe way. Waste disposal according to EC directives 75/442/EEC and 91/689/EEC in the corresponding versions, covering waste and dangerous waste.

Control report for waste code/ waste marking according to EAKV:

According to EAKV, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

070608 other still bottoms and reaction residues

Contaminated packaging:

Recommendation:

Cleaned containers may be recycled. Vessels not properly emptied are special waste.

14. SECTION 14: Transport information

No dangerous good in sense of the transport regulations (ADR / RID / IMDG / IATA).

14.1. **UN-No.:**

No dangerous good in sense of this transport regulation.

14.2. UN proper shipping name

14.3. Transport hazard class(es)

n.a.

14.4. Packing Group:

n.a.

14.5. Environmental hazards:

Land transport (ADR/RID) n.a.

Marine pollutant: n.a.

14.6. Special precautions for user

Transport always in closed, upright and safe containers. Make sure that persons transporting the product know what to do in case of an accident or leakage.

Advices on safe handling: see parts 6 - 8

Further remarks:

Land transport (ADR/RID)

Tunnel restriction code:

Sea transport (IMDG)

EmS-No.: n.a.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) No 453/2010

Article no.: 1550BBLK

OREGON MX 14

 Date of print:
 30.04.2014
 Revision date: 09.04.2013

 version:
 2.0
 Date of issue: 09.04.2013

not applicable

15. SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

National regulations

15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this preparation were not carried out.

16. SECTION 16: Other information

Relevant R-and H-phrases (Number and full text):

Skin Irrit. 2 / H315 Skin corrosion/irritation: Causes skin irritation.

Eye Irrit. 2 / H319 Serious eye damage/eye irritation: Causes serious eye irritation.

Acute Tox. 4 / H332 Acute toxicity (inhalative): Harmful if inhaled.

Acute Tox. 4 / H312 Acute toxicity (dermal): Harmful in contact with skin.

Acute Tox. 4 / H302 Acute toxicity (oral): Harmful if swallowed.

Eye Dam. 1 / H318 Serious eye damage/eye irritation: Causes serious eye damage...

Eye Dalli. 17 no 10 Serious eye dalliage-lye ilitation. Causes serious eye dalliage-lye

Aquatic Chronic 3 / H412 Hazardous to the aquatic environment: Harmful to aquatic life with long lasting effects. Skin Corr. 1B / H314 Skin corrosion/irritation: Causes severe skin burns and eye damage.

Skin Corr. 1B / H314 Skin corrosion/irritation:
STOT SE 3 / H335 Skin corrosion/irritation:
Specific target organ toxicity (single

exposure):

Met. Corr. 1 / H290 corrosive to metals: May be corrosive to metals.

Skin Corr. 1A / H314 Skin corrosion/irritation: Causes severe skin burns and eye damage.

Xn; R20/21/22 Harmful Harmful Harmful by inhalation, in contact with skin and if

swallowed.

Xi; R36/38 Irritant Irritating to eyes and skin. C; R35 Corrosive Causes severe burns.

C; R34 Corrosive Causes burns.

Xi; R37 Irritant Irritating to respiratory system.

Xn; R22 Harmful Harmful if swallowed.

Xi; R38-41 Irritant Irritating to skin. Risk of serious damage to

eyes.

May cause respiratory irritation.

34107 EN

page:8 / 8

Xi; R41 Irritant Risk of serious damage to eyes.

Further remarks:

The information supplied on this safety data sheet complies with our current level of knowledge as well as with national and EU regulations. Without written approval, the product must not be used for purposes different from those mentioned in chapter 1. It is always the user's duty to take any necessary measures for meeting the requirements laid down by local rules and regulations. The details in this safety data sheet describe the safety requirements of our product and are not to be regarded as guaranteed attributes of the product.

Annex:

n.a.: not applicable n.b.: not determined

ADR: Accord européen relatif au transport international des marchandises Dangereuses par Route

(European Agreement concerning the International Transport of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer

(Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association ICAO: International Civil Aviation Organization

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

LD50: lethal dose, 50%

LC50: lethal concentration, 50%